



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FM165 CLASSIC



2012

Specifications

Length	16' 5" / 5m	Max. Weight Capacity	1,350 lb / 612 kg
Beam	82" / 2.08m	Max. Person Capacity	6
Bottom Width	70.5" / 1.8m	Max. Person Weight Capacity	875 lb / 397kg
Bow Height	38" / .97m	Max. HP Capacity	75 hp / 56 kw
Transom Height	20" / .5m	Fuel Capacity (portable)	27 gal / 102 l
Hull Gauge	.090" / 2.3mm	Approx. Hull Weight	955 lb / 433 kg

FEATURES

COCKPIT

- 16 oz. Marine Carpet
- Mooring Cleats
- S.S. Bow & Stern Eyes
- S.S. Fasteners
- 2 Cup holders

CONSTRUCTION

- All Welded
- Pressure Treated Plywood
- Full Length HD Extruded Keel
- Reverse Chine Hull Design
- Extruded Gunnel
- Extruded Lifting Strakes

SEATING

- 2 seats that include: 1 driver's seat and 1 movable passenger/fishing seat
- 6 pedestal fishing seat bases

FISHING

- 23 gal Bow Livewell
- Locking Port Rod Locker (7' 6")
- Starboard Rod Locker / Gear Storage

CONSOLE / ELECTRICAL

- Anti-feedback Steering 4:1
- Rotomolded Console with Tinted Windscreen
- Bilge Pump & Aerator Pump
- Horn
- Nav Lights w/ bow courtesy light
- 12 Volt Receptacle
- Gauges: Speedo, Tachometer, Fuel, Trim

TRAILER

- Painted trailer w/swing tongue



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FM165 CLASSIC



2012

OPTIONS

COLORS

- Black
- Metallic Silver
- White

FISHING

- Lowrance X4 Fish Finder
- Pedestal Fishing Seat Assembly
- FW46 Motor Guide (50"/46#/12V)
- W55 Motor Guide Wireless (54"/55#/12V)
- Minnkota PD 55 (54"/55#/12V)
- 9 Gallon Aft Livewell

SEATING

- Seat Sliders

ENGINE

- Mercury 50 ELPT (4-Stroke)
- Mercury 60 ELPT (4-Stroke)
- Mercury 75 ELPT (4-Stroke)
- Mercury 75 ELPT OptiMax

TRAILER

- LB-2200-70-17-ST-GLV-Galvanized Trailer
- LB-2200DB-70-17-ST-BLK
- LB-2200DB-70-17-ST-GLV
- Mag Wheels (Painted Trailer Only)
- Vinyl Bunks exchange (Galvanized Trailers Only)
- Ratchet Tie Downs (1 pair)
- Spare Tire - Painted
- Spare Tire - Galvanized
- Spare Tire - Mag Wheel

MISCELLANEOUS

- Fusion AM/FM Stereo w/ iPod Adaptor & MP3 Plug
- Tilt Steering
- Chrome Steering Wheel
- Vinyl Floor:
 - Full Vinyl
 - 1/2 Vinyl (Cockpit only)
- Mooring & Trailering Covers



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FM165SC PRO SERIES



2012

Specifications

Length	16' 5" / 5m	Max. Weight Capacity	1,456 lb / 660 kg
Beam	82" / 2.08m	Max. Person Capacity	6
Bottom Width	70.5" / 1.8m	Max. Person Weight Capacity	875 lb / 397kg
Bow Height	38" / .97m	Max. HP Capacity	90 hp / 67 kw
Transom Height	20" / .5m	Fuel Capacity (portable)	27 gal / 102 l
Hull Gauge	.090" / 2.3mm	Approx. Hull Weight	1,060 lb / 481 kg

FEATURES

COCKPIT

- 16 oz. Marine Carpet
- Mooring Cleats
- S.S. Bow & Stern Eyes
- S.S. Fasteners
- 4 Cup holders

CONSTRUCTION

- All Welded
- Pressure Treated Plywood
- Full Length HD Extruded Keel
- Reverse Chine Hull Design
- Extruded Gunnel

TRAILER

- Painted trailer w/swing tongue

SEATING

- 2 seats that include: 1 driver's seat and 1 movable passenger/fishing seat
- 6 pedestal fishing seat bases

FISHING

- Lowrance X4 Fish Finder
- FW46 Motor Guide (50"/46#/12V)
- 20 gal Bow Livewell
- 19 gal Aft Livewell
- Locking Port Rod Locker (7')
- Starboard Gear Storage
- Locking Center Rod Locker w/ 4 tubes that accommodate 6' 6" rods
- Locking Center Rod Locker w/ 2 tubes that accommodate 7' rods

CONSOLE / ELECTRICAL

- Anti-feedback Steering 4:1
- Acrylic Console with Tinted Windscreen
- Bilge Pump & Aerator Pump
- Horn
- Nav Lights w/ bow courtesy light
- 12 Volt Receptacle
- Gauges: Speedo, Tachometer, Fuel, Trim



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FM165SC PRO SERIES



2012

OPTIONS

COLORS

- Black
- Metallic Silver
- White
- Red
- Blue

FISHING

- No Fish Finder Installed
- Pedestal Fishing Seat Assembly
- No Trolling Motor Installed
- W55 Motor Guide Wireless (54"/55#/12V)
- Minnkota PD 55 (54"/55#/12V)

SEATING

- Aft Conversion Bench Seat
- Seat Sliders

ENGINE

- Mercury 50 ELPT (4-Stroke)
- Mercury 60 ELPT (4-Stroke)
- Mercury 75 ELPT (4-Stroke)
- Mercury 75 ELPT OptiMax
- Mercury 90 ELPT (4-Stroke)
- Mercury 90 ELPT OptiMax

TRAILER

- LB-2200-70-17-ST-GLV-Galvanized Trailer
- LB-2200DB-70-17-ST-BLK
- LB-2200DB-70-17-ST-GLV
- Mag Wheels (Painted Trailer Only)
- Vinyl Bunks exchange (Galvanized Trailers Only)
- Ratchet Tie Downs (1 pair)
- Spare Tire - Painted
- Spare Tire - Galvanized
- Spare Tire - Mag Wheel

MISCELLANEOUS

- Fusion AM/FM Stereo w/ iPod Adaptor & MP3 Plug
- Cargo Netting - Front Deck
- Cargo Netting - Cockpit
- Tilt Steering
- Chrome Steering Wheel
- Vinyl Floor:
 - Full Vinyl
 - 1/2 Vinyl (Cockpit only)
- Mooring & Trailing Covers



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FM165WT PRO SERIES



2012

Specifications

Length	16' 5" / 5m	Max. Weight Capacity	1,456 lb / 660 kg
Beam	82" / 2.08m	Max. Person Capacity	6
Bottom Width	70.5" / 1.8m	Max. Person Weight Capacity	875 lb / 397 kg
Bow Height	38" / .97m	Max. HP Capacity	90 hp / 67 kw
Transom Height	20" / .5m	Fuel Capacity (portable)	27 gal / 102 l
Hull Gauge	.090" / 2.3mm	Approx. Hull Weight	1,110 lb / 503 kg

FEATURES

COCKPIT

- 16 oz. Marine Carpet
- Mooring Cleats
- S.S. Bow & Stern Eyes
- S.S. Fasteners
- 4 Cup holders

CONSTRUCTION

- All Welded
- Pressure Treated Plywood
- Full Length HD Extruded Keel
- Reverse Chine Hull Design
- Extruded Gunnel

TRAILER

- Painted trailer w/swing tongue

SEATING

- 2 seats that include: 1 driver's seat and 1 movable passenger/fishing seat
- 6 pedestal fishing seat bases

FISHING

- Lowrance X4 Fish Finder
- FW46 Motor Guide (50"/46#/12V)
- 20 gal Bow Livewell
- 19 gal Aft Livewell
- Locking Port Rod Locker (7')
- Starboard Gear Storage
- Locking Center Rod Locker w/ 4 tubes that accommodate 6' 6" rods
- Locking Center Rod Locker w/ 2 tubes that accommodate 7' rods

CONSOLE / ELECTRICAL

- Anti-feedback Steering 4:1
- Acrylic Consoles with full Walkthrough Windshield
- Bilge Pump & Aerator Pump
- Horn
- Nav Lights w/ bow courtesy light
- 12 Volt Receptacle
- Gauges: Speedo, Tachometer, Fuel, Trim



WWW.LOWE.COM

Low Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FM165WT PRO SERIES



2012

OPTIONS

COLORS

- Black
- Metallic Silver
- White
- Red
- Blue

FISHING

- No Fish Finder Installed
- Pedestal Fishing Seat Assembly
- No Trolling Motor Installed
- W55 Motor Guide Wireless (54"/55#/12V)
- Minnkota PD 55 (54"/55#/12V)

SEATING

- Bow Rider Cushions and Rails
- Aft Conversion Bench Seat
- Seat Sliders

ENGINE

- Mercury 50 ELPT (4-Stroke)
- Mercury 60 ELPT (4-Stroke)
- Mercury 75 ELPT (4-Stroke)
- Mercury 75 ELPT OptiMax
- Mercury 90 ELPT (4-Stroke)
- Mercury 90 ELPT OptiMax

TRAILER

- LB-2200-70-17-ST-GLV-Galvanized Trailer
- LB-2200DB-70-17-ST-BLK
- LB-2200DB-70-17-ST-GLV
- Mag Wheels (Painted Trailer Only)
- Vinyl Bunks exchange (Galvanized Trailers Only)
- Ratchet Tie Downs (1 pair)
- Spare Tire - Painted
- Spare Tire - Galvanized
- Spare Tire - Mag Wheel

MISCELLANEOUS

- Fusion AM/FM Stereo w/ iPod Adaptor & MP3 Plug
- Cargo Netting - Front Deck
- Cargo Netting - Cockpit
- Walk-Thru Curtain / Canvas
- Tilt Steering
- Chrome Steering Wheel
- Vinyl Floor:
 - Full Vinyl
 - 1/2 Vinyl (Cockpit only)
- Mooring & Trailing Covers
- Stand up Top w/ Tonneau Cover
- Side & Aft Curtains



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FM175SC PRO SERIES



2012

Specifications

Length	17' 5" / 5.31m	Max. Weight Capacity	1,600 lb / 753 kg
Beam	96" / 2.44m	Max. Person Capacity	6
Bottom Width	84" / 2.13m	Max. Person Weight Capacity	960 lb / 435kg
Bow Height	41" / 1.04m	Max. HP Capacity	115 hp / 86 kw
Transom Height	25" / .64m	Fuel Capacity (portable)	27 gal / 102 l
Hull Gauge	.100" / 2.54mm	Approx. Hull Weight	1,396 lb / 633 kg

FEATURES

COCKPIT

- 16 oz. Marine Carpet
- Mooring Cleats
- S.S. Bow & Stern Eyes
- S.S. Fasteners
- 4 Cup holders

CONSTRUCTION

- All Welded
- Pressure Treated Plywood
- Full Length HD Extruded Keel
- Reverse Chine Hull Design
- Extruded Gunnel

TRAILER

- Painted trailer w/swing tongue

SEATING

- 2 seats that include: 1 driver's seat and 1 movable passenger/fishing seat
- 6 pedestal fishing seat bases

FISHING

- Lowrance X4 Fish Finder
- W55 Motor Guide Wireless Trolling Motor (60"/55#/12V)
- 23 gal Bow Livewell
- 19 gal Aft Livewell
- Locking Port Rod Locker (7')
- Starboard Gear Storage
- Locking Center Rod Locker w/ 3 tubes that accommodate 6' 6" rods
- Locking Center Rod Locker w/ 4 tubes that accommodate 7' rods

CONSOLE / ELECTRICAL

- Anti-feedback Steering 4:1
- Acrylic Console with Tinted Windscreen
- Bilge Pump & Aerator Pump
- Horn
- Nav Lights w/ bow courtesy light
- 12 Volt Receptacle
- Gauges: Speedo, Tachometer, Fuel, Trim



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FM175SC PRO SERIES



2012

OPTIONS

COLORS

- Black
- Metallic Silver
- White
- Red
- Blue

FISHING

- No Fish Finder Installed
- Pedestal Fishing Seat Assembly
- No Trolling Motor Installed
- W75 MG Wireless (60"/75#/24V)
- Minnkota PD 55 (60"/55#/12V)
- Minnkota PD 70 (60"/70#/24V)
- 9.9 HP Kicker Mtr (includes installation of remote throttle, cables, steering and fuel pick ups)
- Dowrigger Bracket

SEATING

- Aft Conversion Bench Seat
- Seat Sliders

ENGINE

- Mercury 75 ELPT (4-Stroke)
- Mercury 75 ELPT OptiMax
- Mercury 90 ELPT (4-Stroke)
- Mercury 90 ELPT OptiMax
- Mercury 115 ELPT (4-Stroke)
- Mercury 115 OptiMax

TRAILER

- Galvanized trailer w/ swing tongue
- Painted trailer w/ swing tongue & disc brakes
- Galvanized trailer w/ swing tongue & disc brakes
- Painted roller trailer w/ swing tongue
- Galvanized roller trailer w/ swing tongue
- Painted roller trailer w/ swing tongue & disc brakes
- Galvanized roller trailer w/ swing tongue & disc brakes
- Mag Wheels (Painted Trailer Only)
- Vinyl Bunks exchange (Galvanized Trailers Only)
- Ratchet Tie Downs (1 pair)
- Spare Tire - Painted
- Spare Tire - Galvanized
- Spare Tire - Mag Wheel

MISCELLANEOUS

- Fusion AM/FM Stereo w/ iPod Adaptor & MP3 Plug
- Swim Platform
- Ski Tow
- Cargo Netting - Front Deck
- Cargo Netting - Cockpit
- Walk-Thru Curtain / Canvas
- Tilt Steering
- Chrome Steering Wheel
- Vinyl Floor:
- Full Vinyl
- 1/2 Vinyl
- Dual Bank Battery Charger
- Sea Star Hydraulic Tilt Steering (exchange)



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FM175WT PRO SERIES



2012

Specifications

Length	17' 5" / 5.31m	Max. Weight Capacity	1,600 lb / 753 kg
Beam	96" / 2.44m	Max. Person Capacity	6
Bottom Width	84" / 2.13m	Max. Person Weight Capacity	960 lb / 435kg
Bow Height	41" / 1.04m	Max. HP Capacity	115 hp / 86 kw
Transom Height	25" / .64m	Fuel Capacity (portable)	27 gal / 102 l
Hull Gauge	.100" / 2.54mm	Approx. Hull Weight	1,446 lb / 656 kg

FEATURES

COCKPIT

- 16 oz. Marine Carpet
- Mooring Cleats
- S.S. Bow & Stern Eyes
- S.S. Fasteners
- 4 Cup holders

CONSTRUCTION

- All Welded
- Pressure Treated Plywood
- Full Length HD Extruded Keel
- Reverse Chine Hull Design
- Extruded Gunnel

TRAILER

- Painted trailer w/swing tongue

SEATING

- 2 seats that include: 1 driver's seat and 1 movable passenger/fishing seat
- 6 pedestal fishing seat bases

FISHING

- Lowrance X4 Fish Finder
- W55 Motor Guide Wireless Trolling Motor (60"/55#/12V)
- 23 gal Bow Livewell
- 19 gal Aft Livewell
- Locking Port Rod Locker (7')
- Starboard Gear Storage
- Locking Center Rod Locker w/ 3 tubes that accommodate 6' 6" rods
- Locking Center Rod Locker w/ 4 tubes that accommodate 7' rods

CONSOLE / ELECTRICAL

- Anti-feedback Steering 4:1
- Acrylic Consoles with Walkthrough Windshield
- Bilge Pump & Aerator Pump
- Horn
- Nav Lights w/ bow courtesy light
- 12 Volt Receptacle
- Gauges: Speedo, Tachometer, Fuel, Trim



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FM175WT PRO SERIES



2012

OPTIONS

COLORS

- Black
- Metallic Silver
- White
- Red
- Blue

FISHING

- No Fish Finder Installed
- Pedestal Fishing Seat Assembly
- No Trolling Motor Installed
- W75 MG Wireless (60"/75#/24V)
- Minnkota PD 55 (60"/55#/12V)
- Minnkota PD 70 (60"/70#/24V)
- 9.9 HP Kicker Mtr (includes installation of remote throttle, cables, steering and fuel pick ups)
- Downrigger Bracket

SEATING

- Bow Rider Cushions and Rails
- Aft Conversion Bench Seat
- Seat Sliders

ENGINE

- Mercury 75 ELPT (4-Stroke)
- Mercury 75 ELPT OptiMax
- Mercury 90 ELPT (4-Stroke)
- Mercury 90 ELPT OptiMax
- Mercury 115 ELPT (4-Stroke)
- Mercury 115 OptiMax

TRAILER

- Galvanized trailer w/ swing tongue
- Painted trailer w/ swing tongue & disc brakes
- Galvanized trailer w/ swing tongue & disc brakes
- Painted roller trailer w/ swing tongue
- Galvanized roller trailer w/ swing tongue
- Painted roller trailer w/ swing tongue & disc brakes
- Galvanized roller trailer w/ swing tongue & disc brakes
- Mag Wheels (Painted Trailer Only)
- Vinyl Bunks exchange (Galvanized Trailers Only)
- Ratchet Tie Downs (1 pair)
- Spare Tire - Painted
- Spare Tire - Galvanized
- Spare Tire - Mag Wheel

MISCELLANEOUS

- Fusion AM/FM Stereo w/ iPod Adaptor & MP3 Plug
- Swim Platform
- Ski Tow
- Cargo Netting - Front Deck
- Cargo Netting - Cockpit
- Walk-Thru Curtain / Canvas
- Tilt Steering
- Chrome Steering Wheel
- Vinyl Floor:
- Full Vinyl
- 1/2 Vinyl
- Dual Bank Battery Charger
- Sea Star Hydraulic Tilt Steering (exchange)



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FM185WT PRO SERIES



2012

Specifications

Length	18' 5" / 5.61m	Max. Weight Capacity	1,759 lb / 798 kg
Beam	96" / 2.44m	Max. Person Capacity	7
Bottom Width	84" / 2.13m	Max. Person Weight Capacity	1,115 lb / 506 kg
Bow Height	41" / 1.04m	Max. HP Capacity	150 hp / 112 kw
Transom Height	25" / .64m	Fuel Capacity (portable)	38 gal / 144 l
Hull Gauge	.100" / 2.54mm	Approx. Hull Weight	1,700 lb / 771 kg

FEATURES

COCKPIT

- 16 oz. Marine Carpet
- Mooring Cleats
- S.S. Bow & Stern Eyes
- S.S. Fasteners
- 4 Cup holders

CONSTRUCTION

- All Welded
- Pressure Treated Plywood
- Full Length HD Extruded Keel
- Reverse Chine Hull Design
- Extruded Gunnel

TRAILER

- Painted trailer w/swing tongue

SEATING

- 2 seats that include: 1 driver's seat and 1 movable passenger/fishing seat
- 6 pedestal fishing seat bases

FISHING

- Lowrance X4 Fish Finder
- W55 Motor Guide Wireless Trolling Motor (60"/55#/12V)
- 23 gal Bow Livewell
- 19 gal Aft Livewell
- Locking Port Rod Locker (7')
- Starboard Gear Storage
- Locking Center Rod Locker w/ 3 tubes that accommodate 6' 6" rods
- Locking Center Rod Locker w/ 4 tubes that accommodate 7' rods

CONSOLE / ELECTRICAL

- Anti-feedback Steering 4:1
- Acrylic Consoles with Walkthrough Windshield
- Bilge Pump & Aerator Pump
- Horn
- Nav Lights w/ bow courtesy light
- 12 Volt Receptacle
- Gauges: Speedo, Tachometer, Fuel, Trim



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FM185WT PRO SERIES



2012

OPTIONS

COLORS

- Black
- Metallic Silver
- White
- Red
- Blue

FISHING

- No Fish Finder Installed
- Pedestal Fishing Seat Assembly
- No Trolling Motor Installed
- W75 MG Wireless (60"/75#/24V)
- Minnkota PD 55 (60"/55#/12V)
- Minnkota PD 70 (60"/70#/24V)
- 9.9 HP Kicker Mtr (includes installation of remote throttle, cables, steering and fuel pick ups)
- Downrigger Bracket

SEATING

- Bow Rider Cushions and Rails
- Aft Conversion Bench Seat
- Seat Sliders

ENGINE

- Mercury 75 ELPT (4-Stroke)
- Mercury 75 ELPT OptiMax
- Mercury 90 ELPT (4-Stroke)
- Mercury 90 ELPT OptiMax
- Mercury 115 ELPT (4-Stroke)
- Mercury 115 OptiMax
- Mercury 125 OptiMax
- Mercury 150 OptiMax
- Mercury 150 Verado (hydraulic steering required)

TRAILER

- Galvanized trailer w/ swing tongue
- Painted trailer w/ swing tongue & disc brakes
- Galvanized trailer w/ swing tongue & disc brakes
- Painted roller trailer w/ swing tongue
- Galvanized roller trailer w/ swing tongue
- Painted roller trailer w/ swing tongue & disc brakes
- Galvanized roller trailer w/ swing tongue & disc brakes
- Mag Wheels (Painted Trailer Only)
- Vinyl Bunks exchange (Galvanized Trailers Only)
- Ratchet Tie Downs (1 pair)
- Spare Tire - Painted
- Spare Tire - Galvanized
- Spare Tire - Mag Wheel

MISCELLANEOUS

- Fusion AM/FM Stereo w/ iPod Adaptor & MP3 Plug
- Swim Platform
- Ski Tow
- Cargo Netting - Front Deck
- Cargo Netting - Cockpit
- Walk-Thru Curtain / Canvas
- Tilt Steering
- Chrome Steering Wheel
- Vinyl Floor:
- Full Vinyl
- 1/2 Vinyl
- Dual Bank Battery Charger
- Sea Star Hydraulic Tilt Steering (exchange)



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FS165 Fish & Ski



2012

Specifications

Length	16' 5" / 5m	Max. Weight Capacity	1,552 lb / 509 kg
Beam	82" / 2.08m	Max. Person Capacity	6
Bottom Width	70.5" / 1.8m	Max. Person Weight Capacity	715 lb / 324 kg
Bow Height	38" / .97m	Max. HP Capacity	90 hp / 67 kw
Transom Height	20" / .5m	Fuel Capacity (portable)	27 gal / 102 l
Hull Gauge	.090" / 2.3mm	Approx. Hull Weight	1,155 lb / 524 kg

FEATURES

COCKPIT

- 16 oz. Marine Carpet
- Mooring Cleats
- S.S. Bow & Stern Eyes
- S.S. Fasteners
- 6 Cup holders

CONSTRUCTION

- All Welded
- Pressure Treated Plywood
- Full Length HD Extruded Keel
- Reverse Chine Hull Design
- Extruded Gunnel

STORAGE

- Front Deck
- Rear Deck
- Starboard
- Bulk Head Storage - Open
- Locking Glove Box

FISHING

- 12 gal Aft Livewell
- Locking Port Rod Locker (7')
- Starboard Gear Storage

SEATING

- 4 seats that include: 1 driver's seat and 1 movable passenger/fishing seat plus 2 seats in rear bench
- 5 pedestal fishing seat bases
- Rear Bench Seat to Fishing Platform Conversion

CONSOLE / ELECTRICAL

- Anti-feedback Steering 4:1
- Acrylic Console with full Walkthrough Windshield
- Bilge Pump & Aerator Pump
- Horn
- Nav Lights w/ bow courtesy light
- 12 Volt Receptacle
- Gauges: Speedo, Tachometer, Fuel, Trim

TRAILER

- Painted trailer w/swing tongue




WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FS165 Fish & Ski



2012

OPTIONS

COLORS

- Black
- Metallic Silver
- White
- Red
- Blue

FISHING

- Lowrance X4 Fish Finder
- Pedestal Fishing Seat Assembly
- FW46 Motor Guide (50"/46#/12V)
- W55 Motor Guide Wireless (54"/55#/12V)
- Minnkota PD 55 (54"/55#/12V)

SEATING

- Bow Rider Cushions and Rails
- Seat Sliders

ENGINE

- Mercury 50 ELPT (4-Stroke)
- Mercury 60 ELPT (4-Stroke)
- Mercury 75 ELPT (4-Stroke)
- Mercury 75 ELPT OptiMax
- Mercury 90 ELPT (4-Stroke)
- Mercury 90 ELPT OptiMax

TRAILER

- LB-2200-70-17-ST-GLV-Galvanized Trailer
- LB-2200DB-70-17-ST-BLK
- LB-2200DB-70-17-ST-GLV
- Mag Wheels (Painted Trailer Only)
- Vinyl Bunks exchange (Galvanized Trailers Only)
- Ratchet Tie Downs (1 pair)
- Spare Tire - Painted
- Spare Tire - Galvanized
- Spare Tire - Mag Wheel

MISCELLANEOUS

- Swim Platform
- Ski Tow
- Cargo Netting - Front Deck
- Cargo Netting - Cockpit
- Tilt Steering
- Chrome Steering Wheel
- Vinyl Floor:
 - Full Vinyl
 - 1/2 Vinyl (Cockpit only)
- Mooring & Trailing Covers
- Stand up Top w/ Tonneau Cover
- Side & Aft Curtains



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FS175 Fish & Ski



2012

Specifications

Length	17' 5" / 5.31m	Max. Weight Capacity	1,600 lb / 753 kg
Beam	96" / 2.44m	Max. Person Capacity	6
Bottom Width	84" / 2.13m	Max. Person Weight Capacity	960 lb / 435kg
Bow Height	41" / 1.04m	Max. HP Capacity	115 hp / 86 kw
Transom Height	25" / .64m	Fuel Capacity (portable)	27 gal / 102 l
Hull Gauge	.100" / 2.54mm	Approx. Hull Weight	1,446 lb / 656 kg

FEATURES

COCKPIT

- 16 oz. Marine Carpet
- Mooring Cleats
- S.S. Bow & Stern Eyes
- S.S. Fasteners
- 6 Cup holders

CONSTRUCTION

- All Welded
- Pressure Treated Plywood
- Full Length HD Extruded Keel
- Reverse Chine Hull Design
- Extruded Gunnel

STORAGE

- Front Deck
- Rear Deck
- Starboard
- Bulk Head Storage - Open
- Locking Glove Box
- In-floor Storage

FISHING

- 19 gal Aft Livewell
- Locking Port Rod Locker (7')
- Starboard Gear Storage

SEATING

- 4 seats that include: 1 driver's seat and 1 movable passenger/fishing seat plus 2 seats in rear bench
- 5 pedestal fishing seat bases
- Rear Bench Seat to Fishing Platform Conversion

CONSOLE / ELECTRICAL

- Anti-feedback Steering 4:1
- Acrylic Console with full Walkthrough Windshield
- Bilge Pump & Aerator Pump
- Horn
- Nav Lights w/ bow courtesy light
- 12 Volt Receptacle
- Gauges: Speedo, Tachometer, Fuel, Trim

TRAILER

- Painted trailer w/swing tongue



WWW.LOWE.COM

Low e Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FS175

Fish & Ski



2012

OPTIONS

COLORS

- Black
- Metallic Silver
- White
- Red
- Blue

FISHING

- Lowrance X4 Fish Finder
- Pedestal Fishing Seat Assembly
- W55 Motor Guide Wireless Trolling Motor (60"/55#/12V)
- W75 MG Wireless (60"/75#/24V)
- Minnkota PD 55 (60"/55#/12V)
- Minnkota PD 70 (60"/70#/24V)
- Minnkota PD 55 (54"/55#/12V)

SEATING

- Bow Rider Cushions and Rails
- Seat Sliders

ENGINE

- Mercury 75 ELPT (4-Stroke)
- Mercury 75 ELPT OptiMax
- Mercury 90 ELPT (4-Stroke)
- Mercury 90 ELPT OptiMax
- Mercury 115 ELPT (4-Stroke)
- Mercury 115 OptiMax

TRAILER

- Galvanized trailer w/ swing tongue
- Painted trailer w/ swing tongue & disc brakes
- Galvanized trailer w/ swing tongue & disc brakes
- Painted roller trailer w/ swing tongue
- Galvanized roller trailer w/ swing tongue
- Painted roller trailer w/ swing tongue & disc brakes
- Galvanized roller trailer w/ swing tongue & disc brakes
- Mag Wheels (Painted Trailer Only)
- Vinyl Bunks exchange (Galvanized Trailers Only)
- Ratchet Tie Downs (1 pair)
- Spare Tire - Painted
- Spare Tire - Galvanized
- Spare Tire - Mag Wheel

MISCELLANEOUS

- Swim Platform
- Ski Tow
- Cargo Netting - Front Deck
- Cargo Netting - Cockpit
- Tilt Steering
- Chrome Steering Wheel
- Vinyl Floor:
 - Full Vinyl
 - 1/2 Vinyl (Cockpit only)
- Mooring & Trailering Covers
- Stand up Top w/ Tonneau Cover
- Side & Aft Curtains



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FS185 Fish & Ski



2012

Specifications

Length	18' 5" / 5.61m	Max. Weight Capacity	1,759 lb / 798 kg
Beam	96" / 2.44m	Max. Person Capacity	7
Bottom Width	84" / 2.13m	Max. Person Weight Capacity	1,115 lb / 506 kg
Bow Height	41" / 1.04m	Max. HP Capacity	150 hp / 112 kw
Transom Height	25" / .64m	Fuel Capacity (portable)	38 gal / 144 l
Hull Gauge	.100" / 2.54mm	Approx. Hull Weight	1,700 lb / 771 kg

FEATURES

COCKPIT

- 16 oz. Marine Carpet
- Mooring Cleats
- S.S. Bow & Stern Eyes
- S.S. Fasteners
- 6 Cup holders

CONSTRUCTION

- All Welded
- Pressure Treated Plywood
- Full Length HD Extruded Keel
- Reverse Chine Hull Design
- Extruded Gunnel

STORAGE

- Front Deck
- Rear Deck
- Starboard
- Bulk Head Storage - Open
- Locking Glove Box
- In-floor Storage

FISHING

- 19 gal Aft Livewell
- Locking Port Rod Locker (7')
- Starboard Gear Storage

SEATING

- 4 seats that include: 1 driver's seat and 1 movable passenger/fishing seat plus 2 seats in rear bench
- 5 pedestal fishing seat bases
- Rear Bench Seat to Fishing Platform Conversion

CONSOLE / ELECTRICAL

- Anti-feedback Steering 4:1
- Acrylic Console with full Walkthrough Windshield
- Bilge Pump & Aerator Pump
- Horn
- Nav Lights w/ bow courtesy light
- 12 Volt Receptacle
- Gauges: Speedo, Tachometer, Fuel, Trim

TRAILER

- Painted trailer w/swing tongue



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

FS185

Fish & Ski



2012

OPTIONS

COLORS

- Black
- Metallic Silver
- White
- Red
- Blue

FISHING

- Lowrance X4 Fish Finder
- Pedestal Fishing Seat Assembly
- W55 Motor Guide Wireless Trolling Motor (60"/55#/12V)
- W75 MG Wireless (60"/75#/24V)
- Minnkota PD 55 (60"/55#/12V)
- Minnkota PD 70 (60"/70#/24V)
- Minnkota PD 55 (54"/55#/12V)

SEATING

- Bow Rider Cushions and Rails
- Seat Sliders

ENGINE

- Mercury 75 ELPT (4-Stroke)
- Mercury 75 ELPT OptiMax
- Mercury 90 ELPT (4-Stroke)
- Mercury 90 ELPT OptiMax
- Mercury 115 ELPT (4-Stroke)
- Mercury 115 OptiMax
- Mercury 125 OptiMax
- Mercury 150 OptiMax
- Mercury 150 Verado (hydraulic steering required)

TRAILER

- Galvanized trailer w/ swing tongue
- Painted trailer w/ swing tongue & disc brakes
- Galvanized trailer w/ swing tongue & disc brakes
- Painted roller trailer w/ swing tongue
- Galvanized roller trailer w/ swing tongue
- Painted roller trailer w/ swing tongue & disc brakes
- Galvanized roller trailer w/ swing tongue & disc brakes
- Mag Wheels (Painted Trailer Only)
- Vinyl Bunks exchange (Galvanized Trailers Only)
- Ratchet Tie Downs (1 pair)
- Spare Tire - Painted
- Spare Tire - Galvanized
- Spare Tire - Mag Wheel

MISCELLANEOUS

- Swim Platform
- Ski Tow
- Cargo Netting - Front Deck
- Cargo Netting - Cockpit
- Tilt Steering
- Chrome Steering Wheel
- Vinyl Floor:
 - Full Vinyl
 - 1/2 Vinyl (Cockpit only)
- Mooring & Trailering Covers
- Stand up Top w/ Tonneau Cover
- Side & Aft Curtains