



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

Stinger[™]
by LOWE

ST175



2012

Specifications

Length	17' 5"	Max. Weight Capacity	1,110 lb
Beam	85"	Max. Person Capacity	4
Bottom Width	60"	Max. Person Weight Capacity	650 lb
Side Depth	21"	Max. HP Capacity	75 hp
Transom Height	20"	Fuel Capacity (portable)	20 gal
Hull Gauge	.100"	Approx. Hull Weight	995 lb

FEATURES

CONSOLE / ELECTRICAL

- Rotomolded console: w/ tinted windshield & soft grip wheel
- Accessory wiring to bow: 12 volt
- Bilge pump & aerator pump
- Navigation lights: w/ bow courtesy light
- Plug & play instruments: tach, speed, fuel & trim gauges
- Receptacle: 12 volt

CONSTRUCTION

- 8° ProTrac[™], Mod-V hull
- All aluminum transom
- All stainless-steel fasteners
- All-welded
- Bow & stern eyes: stainless-steel
- Extruded gunnels: w/ rub rail insert
- Heavy-duty extruded one piece keel
- Marine carpet: 16 oz
- Mooring cleats
- NMMA Certified
- Rounded, formed-in running strakes
- TufDeck[™] aluminum floor liner

FISHING

- Lowrance X4 compact fishfinder: 4" screen, dual beam sonar w/ temp, 1000' max depth, 188 watts RMS
- MotorGuide FW46FB trolling motor: (42", 46#, 12 volt)
- Large bow fishing deck: 36 sq ft
- Bow 23 gallon aerated livewell integrated baitwell
- 9' 6" port rod locker & 10 cu ft center storage box
- Large stern fishing deck: 32 sq ft
- Stern 19 gallon aerated livewell w/ baitwell
- Battery storage & (2) 1.5 cu ft storage boxes
- Large under-seat storage: 2.75 cu ft

SEATING

- Passenger grab handle
- Pedestal fishing seat bases (2)
- Seats (3): that include: 1 driver's seat, 1 passenger seat 1 center passenger seat and 2 pedestal fishing seats

TRAILER

- Painted bunk trailer w/ roller guides, diamond plate steps, metal fenders and swing tongue



WWW.LOWE.COM

Low Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

*Stinger*TM
by LOWE

ST175



2012

OPTIONS

CANVAS

- Mooring cover

COLORS

- Black
- Metallic Silver
- Blue
- Red
- White

ENGINE

- Mercury 25ELPT (4-Stroke)
- Mercury 50ELPT (4-Stroke)
- Mercury 60ELPT (4-Stroke)
- Mercury 75 OptiMax
- Mercury 75ELPT (4-Stroke)

FISHING

- MotorGuide FW71FB trolling motor: exchange (46". 71#, 24 volt)
- Touring Edition Trolling Motor (75#, 24V)
- Pro pole fishing seat
- Pedestal seat w/ pole
- Gator-SkinTM sprayed-in liner

TRAILER

- Galvanized bunk trailer: w/ swing tongue
- Galvanized vinyl bunk trailer w/ swing tongue
- Painted trailer w/ metal fenders, swing tongue & disc brakes
- Painted trailer w/ Aluminum Mag Wheels
- Galvanized bunk trailer: w/ swing tongue & disc brake
- Spare tire: w/ U-bolt bracket
- Transom saver: dealer installed
- Transom riser: dealer installed
- Ratchet Tie Downs

MISCELLANEOUS

- Dual-bank battery charger
- Gator-SkinTM sprayed-in interior coating



Optional Gator-SkinTM Interior Coating

Like the skid-resistant bedliner in a pickup, super-tuff Gator-SkinTM is weather and impact resistant. Its unique sprayed-in Polyurea[®] coating seals the interior to resist water penetration and corrosion while making clean-up a breeze.



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

Stinger™
by LOWE

ST175 Camo



2012

Specifications

Length	17' 5"	Max. Weight Capacity	1,110 lb
Beam	85"	Max. Person Capacity	4
Bottom Width	60"	Max. Person Weight Capacity	650 lb
Side Depth	21"	Max. HP Capacity	75 hp
Transom Height	20"	Fuel Capacity (portable)	20 gal
Hull Gauge	.100"	Approx. Hull Weight	995 lb

FEATURES

CONSOLE / ELECTRICAL

- Rotomolded console: w/ tinted windshield & soft grip wheel
- Accessory wiring to bow: 12 volt
- Bilge pump & aerator pump
- Navigation lights: w/ bow courtesy light
- Plug & play instruments: tach, speed, fuel & trim gauges
- Receptacle: 12 volt

CONSTRUCTION

- 8° ProTrac™, Mod-V hull
- All aluminum transom
- All stainless-steel fasteners
- All-welded
- Bow & stern eyes: stainless-steel
- Extruded gunnels: w/ rub rail insert
- Heavy-duty extruded one piece keel
- Marine carpet: 16 oz
- Mooring cleats
- NMMA Certified
- Rounded, formed-in running strakes
- TufDeck™ aluminum floor liner

FISHING

- Lowrance X4 compact fishfinder: 4" screen, dual beam sonar w/ temp, 1000' max depth, 188 watts RMS
- MotorGuide FW46FB trolling motor: (42", 46#, 12 volt)
- Large bow fishing deck: 36 sq ft
- Bow 23 gallon aerated livewell integrated baitwell
- 9' 6" port rod locker & 10 cu ft center storage box
- Large stern fishing deck: 32 sq ft
- Stern 19 gallon aerated livewell w/ baitwell
- Battery storage & (2) 1.5 cu ft storage boxes
- Large under-seat storage: 2.75 cu ft

SEATING

- Passenger grab handle
- Pedestal fishing seat bases (2)
- Seats (3): that include: 1 driver's seat, 1 passenger seat, 1 center passenger seat and 2 pedestal fishing seats

TRAILER

- Painted bunk trailer w/ roller guides, diamond plate step, metal fenders and swing tongue



WWW.LOWE.COM

Low Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

Stinger[™]
by LOWE

ST175 Camo



2012

OPTIONS

CANVAS

- Mooring cover

COLORS

- Camouflage Paint – factory installed (exchange)
 - Reel Foot River Bottoms
 - Reel Foot Grasslands
 - Mossy Oak Shadow Grass
 - Mossy Oak Break-up
- Poly Paint (exchange)
(Metallic Silver, Black, White, Red, or Blue)

ENGINE

- Mercury 25ELPT (4-Stroke)
- Mercury 50ELPT (4-Stroke)
- Mercury 60ELPT (4-Stroke)
- Mercury 75 OptiMax
- Mercury 75ELPT (4-Stroke)

FISHING

- MotorGuide FW71FB trolling motor: exchange (46". 71#, 24 volt)
- Touring Edition Trolling Motor (75#, 24V)
- Pro pole fishing seat
- Pedestal seat w/ pole
- Gator-Skin[™] sprayed-in liner

TRAILER

- Galvanized bunk trailer: w/ swing tongue
- Galvanized vinyl bunk trailer w/ swing tongue
- Painted trailer w/ metal fenders, swing tongue & disc brakes
- Painted trailer w/ Aluminum Mag Wheels
- Galvanized bunk trailer: w/ swing tongue & disc brake
- Spare tire: w/ U-bolt bracket
- Transom saver: dealer installed
- Transom riser: dealer installed
- Ratchet Tie Downs

MISCELLANEOUS

- Dual-bank battery charger
- Gator-Skin[™] sprayed-in interior coating



Optional Gator-Skin[™] Interior Coating

Like the skid-resistant bedliner in a pickup, super-tuff Gator-Skin[™] is weather and impact resistant. Its unique sprayed-in Polyurea[®] coating seals the interior to resist water penetration and corrosion while making clean-up a breeze.



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

Stinger™
by LOWE

ST195



2012

Specifications

Length	18' 8"	Max. Weight Capacity	1,400 lb
Beam	85"	Max. Person Capacity	5
Bottom Width	60"	Max. Person Weight Capacity	660 lb
Side Depth	21"	Max. HP Capacity	115 hp
Transom Height	20"	Fuel Capacity (portable)	20 gal
Hull Gauge	.100"	Approx. Hull Weight	1,060 lb

FEATURES

CONSOLE / ELECTRICAL

- Rotomolded console: w/ tinted windshield & soft grip wheel
- Accessory wiring to bow: 12 volt
- Bilge pump & aerator pump
- Navigation lights: w/ bow courtesy light
- Plug & play instruments: tach, speed, fuel & trim gauges
- Receptacle: 12 volt

CONSTRUCTION

- 8° ProTrac™, Mod-V hull
- All aluminum transom
- All stainless-steel fasteners
- All-welded
- Bow & stern eyes: stainless-steel
- Extruded gunnels: w/ rub rail insert
- Heavy-duty extruded one piece keel
- Marine carpet: 16 oz
- Mooring cleats
- NMMA Certified
- Rounded, formed-in running strakes
- TufDeck™ aluminum floor liner

FISHING

- Lowrance X4 compact fishfinder: 4" screen, dual beam sonar w/ temp, 1000' max depth, 188 watts RMS
- MotorGuide FW46FB trolling motor: (42", 46#, 12 volt)
- Large bow fishing deck: 36 sq ft
- Bow 23 gallon aerated livewell integrated baitwell
- 9' 6" port rod locker & 10 cu ft center storage box
- Large stern fishing deck: 32 sq ft
- Stern 23 gallon aerated livewell w/ baitwell
- Battery storage & (2) 1.5 cu ft storage boxes
- Large under-seat storage: 2.75 cu ft

SEATING

- Passenger grab handle
- Pedestal fishing seat bases (2)
- Seats (3): that include: 1 driver's seat, 1 passenger seat & 1 center passenger seat and 2 pedestal fishing seats

TRAILER

- Painted bunk trailer w/ roller guides, diamond plate step metal fenders and swing tongue



WWW.LOWE.COM

Low Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

Stinger[™]
by LOWE

ST195



2012

OPTIONS

CANVAS

- Mooring cover

COLORS

- Black
- Metallic Silver
- Blue
- Red
- White

ENGINE

- Mercury 75 OptiMax
- Mercury 75ELPT (4-Stroke)
- Mercury 90 OptiMax
- Mercury 90ELPT (4-Stroke)
- Mercury 115 OptiMax
- Mercury 115ELPT (4-Stroke)
- Mercury 115 Optimax Pro XS

FISHING

- MotorGuide FW71FB trolling motor: exchange (46". 71#, 24 volt)
- Touring Edition Trolling Motor (75#, 24V)
- Pro pole fishing seat
- Pedestal seat w/ pole
- Gator-Skin[™] sprayed-in liner

TRAILER

- Galvanized bunk trailer: w/ swing tongue
- Galvanized vinyl bunk trailer w/ swing tongue
- Painted trailer w/ metal fenders, swing tongue & disc brakes
- Painted trailer w/ Aluminum Mag Wheels
- Galvanized bunk trailer: w/ swing tongue & disc brake
- Spare tire: w/ U-bolt bracket
- Transom saver: dealer installed
- Transom riser: dealer installed
- Ratchet Tie Downs

MISCELLANEOUS

- Dual-bank battery charger
- Gator-Skin[™] sprayed-in interior coating



Optional Gator-Skin[™] Interior Coating

Like the skid-resistant bedliner in a pickup, super-tuff Gator-Skin[™] is weather and impact resistant. Its unique sprayed-in Polyurea[®] coating seals the interior to resist water penetration and corrosion while making clean-up a breeze.



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

Stinger™
by LOWE

HP 17'



2012

Specifications

Length	17' 2"	Max. Weight Capacity	1,200 lb
Beam	85"	Max. Person Capacity	4
Bottom Width	60"	Max. Person Weight Capacity	600 lb
Side Depth	24"	Max. HP Capacity	90 hp
Transom Height	20"	Fuel Capacity (portable)	19 gal
Hull Gauge	.100"	Approx. Hull Weight	990 lb

FEATURES

CONSOLE / ELECTRICAL

- Acrylic console with windshield & chrome bezel gauges
- Bilge pump & aerator pump
- Removable anchor light and navigation light
- Instruments: tach, speed, fuel, volt & trim gauges
- Receptacle: 12 volt
- Horn

CONSTRUCTION

- Wood-free
- All-aluminum floors and decks All-welded aluminum transom
- 5052 aluminum
- Marine carpet: 16 oz
- Mooring cleats
- NMMA Certified
- High-performance pad hull
- Underseat storage
- Bow storage
- Full-length all-aluminum welded grid-style stringer system
- Extruded extra-strength ribs
- Step cooler
- Stainless-steel bow and stern eyes

FISHING

- Lowrance X50DS compact fishfinder: 4" screen, dual beam sonar w/ temp, 1000' max depth, 188 watts RMS (helm)
- Lowrance X52DS compact fishfinder, 4" screen, dual beam sonar w/ temp., 1000' max depth, 188 watts RMS (bow)
- MotorGuide FW75FB trolling motor: (42", 75#, 12 volt)
- Trolling motor harness (24 volt, 8 gauge wire)
- (2) rear tackle organizers
- (2) lockable carpeted rod lockers
- Forward aerated livewell with timer
- Bow 11 gallon aerated livewell
- Rear 30-gallon aerated livewell
- Livewell pump strainers

SEATING

- Passenger grab handle
- Pedestal fishing seat bases (2)
- Seats (3): that include: 1 driver's seat, 1 passenger seat 1 center passenger seat and 2 pedestal fishing seats

TRAILER

- Painted bunk trailer w/ roller guides, diamond plate steps, metal fenders and swing tongue



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

Stinger[™]
by **LOWE**

HP 17'



2012

OPTIONS

CANVAS

- Mooring cover

COLORS

- Two-tone Black & Silver

ENGINE

- Mercury 75ELPT OptiMax
- Mercury 90ELPT OptiMax

MISCELLANEOUS

- Dual-bank battery charger
- Touring Edition Trolling Motor (75#, 24V)
- FW75 Trolling Motor

TRAILER

- Galvanized bunk trailer: w/ swing tongue
- Galvanized vinyl bunk trailer w/ swing tongue
- Painted trailer w/ metal fenders, swing tongue & disc brakes
- Painted trailer w/ Aluminum Mag Wheels
- Spare tire: w/ U-bolt bracket
- Transom saver: dealer installed
- Ratchet Tie Downs



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

Stinger™
by LOWE

HP 18'



2012

Specifications

Length	18' 2"	Max. Weight Capacity	1,340 lb
Beam	85"	Max. Person Capacity	4
Bottom Width	60"	Max. Person Weight Capacity	600 lb
Side Depth	24"	Max. HP Capacity	115 hp
Transom Height	20"	Fuel Capacity (portable)	19 gal
Hull Gauge	.100"	Approx. Hull Weight	1,060 lb

FEATURES

CONSOLE / ELECTRICAL

- Acrylic console with windshield & chrome bezel gauges
- Bilge pump & aerator pump
- Removable anchor light and navigation light
- Instruments: tach, speed, fuel, volt & trim gauges
- Receptacle: 12 volt
- Horn

CONSTRUCTION

- Wood-free
- All-aluminum floors and decks All-welded aluminum transom
- 5052 aluminum
- Marine carpet: 16 oz
- Mooring cleats
- NMMA Certified
- High-performance pad hull
- Underseat storage
- Bow storage
- Full-length all-aluminum welded grid-style stringer system
- Extruded extra-strength ribs
- Step cooler
- Stainless-steel bow and stern eyes
- Bow deck non-skid mat

FISHING

- Lowrance X50DS compact fishfinder: 4" screen, dual beam sonar w/ temp, 1000' max depth, 188 watts RMS (helm)
- Lowrance X52DS compact fishfinder, 4" screen, dual beam sonar w/ temp., 1000' max depth, 188 watts RMS (bow)
- MotorGuide FW75FB trolling motor: (42", 75#, 12 volt)
- Trolling motor harness (24 volt, 8 gauge wire)
- (2) rear tackle organizers
- (2) lockable carpeted rod lockers
- Forward aerated livewell with timer
- Bow 11 gallon aerated livewell
- Rear 30-gallon aerated livewell
- Livewell pump strainers

SEATING

- Passenger grab handle
- Pedestal fishing seat bases (2)
- Seats (3): that include: 1 driver's seat, 1 passenger seat 1 center passenger seat and 2 pedestal fishing seats

TRAILER

- Painted bunk trailer w/ roller guides, diamond plate step: metal



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

Stinger[™]
by **LOWE**

HP 18'



2012

OPTIONS

CANVAS

- Mooring cover

COLORS

- Two-tone Black & Silver

ENGINE

- Mercury 75ELPT OptiMax
- Mercury 90ELPT OptiMax

MISCELLANEOUS

- Dual-bank battery charger
- Touring Edition Trolling Motor (75#, 24V)
- FW75 Trolling Motor

TRAILER

- Galvanized bunk trailer: w/ swing tongue
- Galvanized vinyl bunk trailer w/ swing tongue
- Painted trailer w/ metal fenders, swing tongue & disc brakes
- Painted trailer w/ Aluminum Mag Wheels
- Spare tire: w/ U-bolt bracket
- Transom saver: dealer installed
- Ratchet Tie Downs



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

STRYKER 16'

MULTI-SPECIES



2012

Specifications

Length	15' 10" / 4.8m	Max. Person Capacity	3
Beam	75.5" / 1.92m	Max. HP Capacity	50 hp / 37 kw
Bottom Width	55" / 1.4m	Max. Person Weight Capacity	435 lb / 197 kg
Side Depth	20" / .51m	Hull Gauge	.090" / 2.3mm
Transom Height	20" / .51m	Fuel Capacity (Portable)	6 gal / 23 l
Approx. Hull Wt	665 lb / 302 kg	Pkg Length (w/ tongue in)	21' 6" / 6.55m
Max. Weight Capacity	936 lb / 425 kg	Max. Package Width	84" / 2.13m

FEATURES

CONSOLE / ELECTRICAL

- Bilge pump & aerator pump
- Rotomolded console w/ tinted windshield & soft grip wheel
- Navigation lights: w/ bow courtesy light
- 12V accessory wiring to bow
- Receptacle: 12 volt

CONSTRUCTION

- All-welded
- NMMA Certified
- Pro Trac™ mod-v hull
- Rounded, formed-in keels
- Extruded gunnels
- All aluminum transom
- TufDeck™ aluminum floor liner

COCKPIT

- Bow & stern eyes: stainless-steel
- Marine carpet: 16 oz
- Storage for portable fuel tank

FISHING

- Lowrance X50DS compact fish finder, 4" screen, dual beam sonar w/ temp., 1000 ft. max depth, 188 watts RMS
- Bow fishing deck (66" x 64") with aerated livewell (44", 23 gal.)
- Stern Fishing Deck (66" x 47") with aerated livewell
- FW40FB Motor Guide (42", 40#, 12V) trolling motor
- Port rod holders w/ organizer for 2 rods

SEATING

- Pedestal fishing seat bases (4)
- Seats (4): that include: 1 driver's seat, 1 passenger seat & 2 pedestal fishing seats
- 3 across seating on front deck
- Under seat storage

TRAILER

- Painted bunk trailer w/ swing tongue



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

STRYKER 16'

MULTI-SPECIES



2012

OPTIONS

CANVAS

- Mooring cover

ENGINE

- Mercury 20 EL (4-Stroke)
- Mercury 20 ELPT (4-Stroke)
- Mercury 25 ELPT (4-Stroke)
- Mercury 30 ELPT (4-Stroke)
- Mercury 40 ELPT (4-Stroke)
- Mercury 50 ELPT (4-Stroke)

TRAILER

- Painted bunk trailer w/ swing tongue & disc brakes
- Galvanized bunk trailer w/ swing tongue
- Galvanized vinyl bunk trailer w/ swing tongue
- Galvanized bunk trailer w/ swing tongue & disc brakes
- Galvanized vinyl bunk trailer
- Transom saver: dealer installed

MISCELLANEOUS

- Dual-bank battery charger
- Rope Ratchet Mooring Cover



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

STRYKER SS

16'

STICK STEER



2012

Specifications

Length	15' 10" / 4.8m	Max. Person Capacity	3
Beam	75.5" / 1.92m	Max. HP Capacity	50 hp / 37 kw
Bottom Width	55" / 1.4m	Max. Person Weight Capacity	435 lb / 197 kg
Side Depth	20" / .51m	Hull Gauge	.090" / 2.3mm
Transom Height	20" / .51m	Fuel Capacity (Portable)	6 gal / 23 l
Approx. Hull Wt	535 lb / 243 kg	Pkg Length (w/ tongue in)	21' 6" / 6.55m
Max. Weight Capacity	936 lb / 425 kg	Max. Package Width	84" / 2.13m

FEATURES

CONSOLE / ELECTRICAL

- Stick Steer Control – mounted port
- Shift / Throttle Lever – mounted starboard
- Bilge pump & aerator pump
- Switch panel with switches for: bilge pump, aerator pump, navigation lights
- 12V accessory wiring to bow
- Receptacle: 12 volt

CONSTRUCTION

- All-welded
- NMMA Certified
- Pro Trac™ mod-v hull
- Rounded, formed-in keels
- Extruded gunnels
- All aluminum transom
- TufDeck™ aluminum floor liner
- Stainless-steel bow and stern eyes
- All stainless-steel fasteners
- 16 oz marine carpet
- Storage for portable fuel tank

FISHING

- FW40FB Motor Guide (42", 40#, 12V) trolling motor
- Lowrance X50DS compact fish finder, 4" screen, dual beam sonar w/ temp., 1000 ft. max depth, 188 watts RMS
- 7'6" locking starboard & port rod lockers w/ holders
- Center aerated livewell (25' x11" x 10", 15 gal) w/ cushion seat top

SEATING

- 2 fishing seats w/locking swivel – storage boxes beneath

TRAILER

- Painted bunk trailer w/ swing tongue



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

STRYKER SS

16'

STICK STEER



2012

OPTIONS

CANVAS

- Mooring cover

ENGINE

- Mercury 20 EL (4-Stroke)
- Mercury 20 ELPT (4-Stroke)
- Mercury 25 ELPT (4-Stroke)
- Mercury 30 ELPT (4-Stroke)
- Mercury 40 ELPT (4-Stroke)
- Mercury 50 ELPT (4-Stroke)

TRAILER

- Painted bunk trailer w/ swing tongue & disc brakes
- Galvanized bunk trailer w/ swing tongue
- Galvanized vinyl bunk trailer w/ swing tongue
- Galvanized bunk trailer w/ swing tongue & disc brakes
- Galvanized vinyl bunk trailer
- Transom saver: dealer installed

MISCELLANEOUS

- Dual-bank battery charger
- Rope Ratchet Mooring Cover



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

*Stryker*SM
by LOWE
17'



2012

Specifications

Length	17'	Max. Weight Capacity	1,101 lb
Beam	74"	Max. Person Capacity	4
Bottom Width	55"	Max. Person Weight Capacity	600 lb
Side Depth	20"	Max. HP Capacity	60 hp
Transom Height	20"	Fuel Capacity (portable)	12 gal
Hull Gauge	.090"	Approx. Hull Weight	660 lb

FEATURES

CONSOLE / ELECTRICAL

- Bilge pump & aerator pump
- Rotomolded console w/ tinted windshield & soft grip wheel
- Navigation lights: w/ bow courtesy light
- 12V accessory wiring to bow
- Receptacle: 12 volt

CONSTRUCTION

- All-welded
- NMMA Certified
- Pro Trac™ mod-v hull
- Rounded, formed-in keels
- Extruded gunnels
- All aluminum transom
- TufDeck™ aluminum floor liner

COCKPIT

- All stainless-steel fasteners
- Bow & stern eyes: stainless-steel
- Marine carpet: 16 oz
- Storage for portable fuel tank

FISHING

- Lowrance X50DS compact fish finder, 4" screen, dual beam sonar w/ temp., 1000 ft. max depth, 188 watts RMS
- Bow fishing deck with 14 gallon aerated livewell
- Stern Fishing Deck with 14 gallon aerated livewell
- FW40FB Motor Guide (42", 40#, 12V) trolling motor •
- Port rod holders w/ organizer for 2 rods

SEATING

- Pedestal fishing seat bases (4)
- Seats (4): that include: 1 driver's seat, 1 passenger seat & 2 pedestal fishing seats
- 3 across seating on front deck
- Under seat storage

TRAILER

- Painted bunk trailer w/ swing tongue



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.



2012

OPTIONS

CANVAS

- Mooring cover

ENGINE

- Mercury 20 EL (4-Stroke)
- Mercury 20 ELPT (4-Stroke)
- Mercury 25 ELPT (4-Stroke)
- Mercury 30 ELPT (4-Stroke)
- Mercury 40 ELPT (4-Stroke)
- Mercury 50 ELPT (4-Stroke)
- Mercury 60 ELPT (4-Stroke)

TRAILER

- Painted bunk trailer w/ swing tongue & disc brakes
- Galvanized bunk trailer w/ swing tongue
- Galvanized vinyl bunk trailer w/ swing tongue
- Galvanized bunk trailer w/ swing tongue & disc brakes
- Galvanized vinyl bunk trailer
- Transom saver: dealer installed

MISCELLANEOUS

- Dual-bank battery charger
- Rope Ratchet Mooring Cover



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

SKORPION 16'

BASS SPECIAL



2012

Specifications

Length	15' 10" / 4.8m	Max. Person Capacity	3
Beam	75.5" / 1.92m	Max. HP Capacity	50 hp / 37 kw
Bottom Width	55" / 1.4m	Max. Person Weight Capacity	435 lb / 197 kg
Side Depth	20" / .51m	Hull Gauge	.090" / 2.3mm
Transom Height	20" / .51m	Fuel Capacity (Portable)	6 gal / 23 l
Approx. Hull Wt	665 lb / 302 kg	Pkg Length (w/ tongue in)	21' 6" / 6.55m
Max. Weight Capacity	936 lb / 425 kg	Max. Package Width	84" / 2.13m

FEATURES

CONSOLE / ELECTRICAL

- Rotomolded console: w/ tinted windshield & soft grip wheel
- Accessory wiring to bow: 12 volt
- Bilge pump & aerator pump
- Navigation lights: w/ bow courtesy light
- Receptacle: 12 volt

CONSTRUCTION

- 7° ProTrac™, mod-v hull
- TufDeck™ aluminum floor liner
- All aluminum transom
- All stainless-steel fasteners
- All Welded construction
- Bow & stern eyes: stainless steel
- Extruded gunnels
- Rounded, formed-in running keels
- Marine carpet: 16 oz
- NMMA Certified

FISHING

- MotorGuide FW40FB trolling motor: (42", 40#, 12 volt)
- Lowrance X50DS compact fishfinder: 4" screen, dual beam sonar w/ temp, 1000' max depth, 188 watts RMS
- Bow fishing deck (66" x 64") w/ aerated livewell (44", 23 gal) with storage (22" W, 25" D, 11" H)
- Stern Fishing Deck (66" x 47") w/ storage box (58" x 12" W, 12" deep)
- Port rod holders w/ organizer for 4 rods

SEATING

- Pedestal fishing seat bases (2)
- Seats (4): that include: 1 driver's seat, 1 passenger seat, & 2 pedestal fishing seats
- Under-seat storage

TRAILER

- Painted bunk trailer w/ swing tongue



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

SKORPION 16'

BASS
SPECIAL



2012

OPTIONS

CANVAS

- Mooring cover

ENGINE

- Mercury 20 EL (4-Stroke)
- Mercury 20 ELPT (4-Stroke)
- Mercury 25 ELPT (4-Stroke)
- Mercury 30 ELPT (4-Stroke)
- Mercury 40 ELPT (4-Stroke)
- Mercury 50 ELPT (4-Stroke)

TRAILER

- Painted bunk trailer w/ swing tongue & disc brakes
- Galvanized bunk trailer w/ swing tongue
- Galvanized vinyl bunk trailer w/ swing tongue
- Galvanized bunk trailer w/ swing tongue & disc brakes
- Galvanized vinyl bunk trailer
- Transom saver: dealer installed

MISCELLANEOUS

- Dual-bank battery charger
- Rope Ratchet Mooring Cover