



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A160S



2012

Specifications

Length	16' 1" / 4.9m	Max. Weight Capacity	1,552 lb / 509 kg
Beam	75" / 1.91m	Max. Person Capacity	5
Bottom Width	61" / 1.5m	Max. Person Weight Capacity	715 lb / 324 kg
Bow Height	38" / .97m	Max. HP Capacity	50 hp
Transom Height	20" / .5m	Fuel Capacity (portable)	6 gal / 23 l
Hull Gauge	.090" / 2.3mm	Approx. Hull Weight	711 lb / 323 kg

FEATURES

COCKPIT

- Pressure treated plywood floors w/ lifetime limited warranty
- 16 oz marine carpet
- Stainless steel bow and stern eyes
- All stainless steel fasteners
- 16 oz. marine carpet - decks

CONSTRUCTION

- All Welded
- NMMA Certified
- Extruded gunnels

TRAILER

- Painted trailer w/swing tongue

FISHING

- Lowrance X50DS compact fishfinder, 4" screen, dual beam sonar w/temp., 1000 ft. max depth, 188 watts RMS
- Large Bow Fishing Deck w/ storage and lighted aerated livewell (43.5", 23 gal)
- Port rod locker (7')

SEATING

- 2 seats that include: 1 driver's seat and 1 movable passenger/ fishing seat
- 4 pedestal fishing seat bases

CONSOLE / ELECTRICAL

- Console w/ tinted windshield
- Navigation lights



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A160S



2012

OPTIONS

COLORS

- White w/black & red accents, charcoal carpet & vinyl cockpit floor

ENGINE

- Mercury 20 EL (4-Stroke)
- Mercury 20 ELPT (4-Stroke)
- Mercury 25 ELPT (4-Stroke)
- Mercury 30 ELPT (4-Stroke)
- Mercury 40 ELPT (4-Stroke)
- Mercury 50 ELPT (4-Stroke)

TRAILER

- Spare tire w/ U-bolt bracket
- Transom saver - dealer installed
- Galvanized Vinyl Bunk trailer w/ swing tongue
- Ratchet Tie Downs

MISCELLANEOUS

- Minn Kota PD55 trolling motor (54", 55#, 12V) - exchange
- W55 Motor Guide Wireless (54", 55#, 12V) trolling motor w/ quick disconnect
- Pedestal fishing assembly (each)



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A160T



2012

Specifications

Length	16' 1" / 4.9m	Max. Weight Capacity	1,123 lb / 509 kg
Beam	75" / 1.91m	Max. Person Capacity	5
Bottom Width	61" / 1.5m	Max. Person Weight Capacity	705 lb / 320 kg
Bow Height	38" / .97m	Max. HP Capacity	40 hp
Transom Height	20" / .5m	Fuel Capacity (portable)	6 gal / 23 l
Hull Gauge	.090" / 2.3mm	Approx. Hull Weight	661 lb / 300 kg

FEATURES

COCKPIT

- Pressure treated plywood floors w/ lifetime limited warranty
- 16 oz marine carpet
- Stainless steel bow and stern eyes
- All stainless steel fasteners
- 16 oz. marine carpet - decks
- Gray vinyl - floor

CONSTRUCTION

- All Welded
- NMMA Certified
- Extruded gunnels

TRAILER

- Painted trailer w/swing tongue

FISHING

- Large Bow Fishing Deck w/ storage & aerated livewell (43.5", 23 gal)
- Port rod locker (7')

SEATING

- 2 seats that include: 1 driver's seat and 1 movable passenger/ fishing seat
- 4 pedestal fishing seat bases

CONSOLE / ELECTRICAL

- Console w/ tinted windshield
- Navigation lights
- Bilge pump & aerator pump



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A160T



2012

OPTIONS

COLORS

- Polar White w/black & red accents, charcoal carpet & vinyl cockpit floor
- Ebony Black w/black & red accents, charcoal carpet & vinyl cockpit floor
- Sterling Silver w/black & red accents, charcoal carpet & vinyl cockpit floor

FISHING

- Minn Kota PD55 trolling motor (54", 55#, 12V) - exchange
- W55 Motor Guide Wireless (54", 55#, 12V) trolling motor w/ quick disconnect
- Pedestal fishing seat assembly (each)

ENGINE

- Mercury 20 EL (4-Stroke)
- Mercury 20 ELPT (4-Stroke)
- Mercury 25 ELPT (4-Stroke)
- Mercury 30 ELPT (4-Stroke)
- Mercury 40 ELPT (4-Stroke)

TRAILER

- Spare tire w/ U-bolt bracket
- Transom saver - dealer installed
- Galvanized Vinyl Bunk trailer w/ swing tongue
- Ratchet Tie Downs

MISCELLANEOUS

- Minn Kota PD55 trolling motor (54", 55#, 12V) - exchange
- W55 Motor Guide Wireless (54", 55#, 12V) trolling motor w/ quick disconnect
- Pedestal fishing assembly (each)



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A1257



2012

Specifications

Length	12' 1" / 3.68m	Max. Weight Capacity	602 lb / 273 kg
Beam	57" / 1.45m	Max. Person Capacity	3
Ribs	7	Max. Person Weight Capacity	400 lb / 181 kg
Bow Height	27.5" / .70m	Max. HP Capacity- Tiller	10 hp
Transom Height	15" / .38m	Approx. Hull Weight	128 lb / 58 kg
Hull Gauge	.050" / 1.2mm		

FEATURES

CONSTRUCTION

- NMMA Certified
- Natural w/ tan interior & blue decal
- Square chine transom
- Heavy duty keel center
- Cast bow plate w/ lifting handle
- Cast bow eye
- Formed transom corner caps
- Transom drain plug
- Oar lock mounts

SEATING

- 3 bench seats



WWW.LOWE.COM

Low e Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A1257



2012

OPTIONS

ENGINE

- Angler models are available from your dealer pre-packaged with the Mercury outboard of your choice, or may be matched with any appropriate outboard up to the boat's maximum horsepower rating.

TRAILER

- Painted bunk trailer
- Galvanized bunk trailer
- Spare tire w/ U-bolt bracket



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A1457



2012

Specifications

Length	13' 11" / 4.24m	Max. Weight Capacity	702 lb / 318 kg
Beam	57" / 1.45m	Max. Person Capacity	4
Ribs	7	Max. Person Weight Capacity	500 lb / 227 kg
Bow Height	27.5" / .70m	Max. HP Capacity- Tiller	10 hp
Transom Height	15" / .38m	Approx. Hull Weight	144 lb / 65 kg
Hull Gauge	.050" / 1.2mm		

FEATURES

CONSTRUCTION

- NMMA Certified
- Natural w/ tan interior & blue decal
- Square chine transom
- Heavy duty keel center
- Cast bow plate w/ lifting handle
- Cast bow eye
- Formed transom corner caps
- Transom drain plug
- Oar lock mounts

SEATING

- 4 bench seats



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A1457



2012

OPTIONS

ENGINE

- Angler models are available from your dealer pre-packaged with the Mercury outboard of your choice, or may be matched with any appropriate outboard up to the boat's maximum horsepower rating.

TRAILER

- Painted bunk trailer
- Galvanized bunk trailer
- Spare tire w/ U-bolt bracket



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A1467



2012

Specifications

Length	13' 11" / 4.24m	Max. Weight Capacity	985 lb / 447 kg
Beam	67" / 1.70m	Max. Person Capacity	5
Ribs	12	Max. Person Weight Capacity	660 lb / 299 kg
Bow Height	27" / .69m	Max. HP Capacity- Tiller	25 hp
Transom Height	20" / .5m	Max. HP Capacity – Remote	25 hp
Hull Gauge	.072" / 1.8mm	Approx. Hull Weight	235 lb / 107 kg

FEATURES

CONSTRUCTION

- NMMA Certified
- Polar White w/tan interior & blue decal
- Square chine transom
- Aluminum clad transom
- Cast bow plate w/ lifting handle
- Reinforced bow eye
- Transom corner castings w/ handles
- Transom drain plug

SEATING

- 2 bench seats & split stern seat



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A1467



2012

OPTIONS

ENGINE

- Angler models are available from your dealer pre-packaged with the Mercury outboard of your choice, or may be matched with any appropriate outboard up to the boat's maximum horsepower rating.

TRAILER

- Painted bunk trailer
- Galvanized bunk trailer
- Spare tire w/ U-bolt bracket

MISCELLANEOUS

- Optional side console w/ pre-rig
- Oar lock mounts



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A1467 WT



2012

Specifications

Length	13' 11" / 4.24m	Max. Weight Capacity	1,058 lb / 480 kg
Beam	67" / 1.70m	Max. Person Capacity	5
Ribs	12	Max. Person Weight Capacity	640 lb / 290 kg
Bow Height	27" / .69m	Max. HP Capacity	25 hp
Transom Height	20" / .5m	Approx. Hull Weight	377 lb / 171 kg
Hull Gauge	.072" / 1.8mm		

FEATURES

CONSTRUCTION

- NMMA Certified
- Polar White w/tan interior & blue decal
- Vinyl covered plywood floor
- Aluminum clad transom
- Cast bow plate w/ lifting handles
- Reinforced bow eye
- Transom corner castings w/ handles
- Transom drain plug

SEATING

- 1 bench seat, 1 split center seat & 1 split stern seat



WWW.LOWE.COM

Low e Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A1467 WT



2012

OPTIONS

ENGINE

- Angler models are available from your dealer pre-packaged with the Mercury outboard of your choice, or may be matched with any appropriate outboard up to the boat's maximum horsepower rating.

TRAILER

- Painted bunk trailer
- Galvanized bunk trailer
- Spare tire w/ U-bolt bracket

MISCELLANEOUS

- Optional side console w/ pre-rig



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A1667



2012

Specifications

Length	16' / 4.88m	Max. Weight Capacity	1,153 lb / 523 kg
Beam	67" / 1.70m	Max. Person Capacity	5
Ribs	14	Max. Person Weight Capacity	735 lb / 333 kg
Bow Height	27" / .69m	Max. HP Capacity - Tiller	30 hp
Transom Height	20" / .5m	Max HP Capacity – Remote	40 hp
Hull Gauge	.072" / 1.8mm	Approx. Hull Weight	275 lb / 125 kg

FEATURES

CONSTRUCTION

- NMMA Certified
- Polar White w/tan interior & blue decal
- Square chine transom
- Aluminum clad transom
- Cast bow plate w/ lifting handles
- Reinforced bow eye
- Transom corner castings w/ handles
- Transom drain plug

SEATING

- 3 bench seats and split stern seat



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A1667



2012

OPTIONS

ENGINE

- Angler models are available from your dealer pre-packaged with the Mercury outboard of your choice, or may be matched with any appropriate outboard up to the boat's maximum horsepower rating.

TRAILER

- Painted bunk trailer
- Galvanized bunk trailer
- Spare tire w/ U-bolt bracket

MISCELLANEOUS

- Optional side console w/ pre-rig
- Oar lock mounts



WWW.LOWE.COM

Lowe Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canada Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A1667 WT



2012

Specifications

Length	16' / 4.88m	Max. Weight Capacity	1,153 lb / 523 kg
Beam	67" / 1.70m	Max. Person Capacity	5
Ribs	14	Max. Person Weight Capacity	735 lb / 333 kg
Bow Height	27" / .69m	Max. HP Capacity - Tiller	30 hp
Transom Height	20" / .5m	Max HP Capacity – Remote	40 hp
Hull Gauge	.072" / 1.8mm	Approx. Hull Weight	440 lb / 200 kg

FEATURES

CONSTRUCTION

- NMMA Certified
- Polar White w/tan interior & blue decal
- Square chine transom
- Vinyl covered plywood floor
- Aluminum clad transom
- Cast bow plate w/ lifting handles
- Reinforced bow eye
- Transom corner castings w/ handles
- Transom drain plug

SEATING

- 1 bench seat, 1 split center seat & 1 split stern seat



WWW.LOWE.COM

Low e Boats | 2900 Industrial Dr. | Lebanon, MO 65536 | 417-532-9101

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

ANGLER A1667 WT



2012

OPTIONS

ENGINE

- Angler models are available from your dealer pre-packaged with the Mercury outboard of your choice, or may be matched with any appropriate outboard up to the boat's maximum horsepower rating.

TRAILER

- Painted bunk trailer
- Galvanized bunk trailer
- Spare tire w/ U-bolt bracket

MISCELLANEOUS

- Optional side console w/ pre-rig
- Oar lock mounts